

SUPPLIER DECLARATION of CONFORMITY

In accordance with AS4072.1-2005 B1

The product specified in this Declaration conforms to the following NZAS Standard:

Identification Number: ProFRAcrylic **NZAS Standard:** AS1530.4-2014

Issuer Details:

NZ Manufacturer or Importer: Principal Products Ltd (NZ Co # 2408906)
Address: Unit J, 657 Great South Rd, Penrose, Auckland 1061
Telephone: (09) 483 4000
Email Address: info@firestopcentre.co.nz

Product Details:

Product Name: Protecta FR Acrylic Fire Sealant
Product Description: Used for sealing penetrations, linear joints and gaps in fire-rated walls or floors.

Approved Uses:

Substrate	Penetrant
Concrete Plasterboard	Metallic pipes Plastic pipes Cables

Certification Bodies:


Name of Certifying Body	Address
Exova Warringtonfire Aus Pty Ltd	409-411 Hammond Rd Dandenong VIC 3175 Australia

Tests and Approvals:

Test Standard	Certificate or Reference No	Issue Date
AS1530.4-2014 AS4072.1-2005	Exova Warringtonfire EWFA Report 53619700-B.1	2/07/2018

Reference to any management quality system involved: NATA Registered Laboratory

Declaration:

Name and Designation as authorised by Issuer	Signature	Date
Gregory M Hand (Director)		2/7/18